

In accordance with REACH Regulation EC No.1907/2006

Product: HAMBER 100000022

1

Version:

# Section 1. Identification of the substance or the mixture and of the supplier

**1.1 Product Identifier** 

Product identifier:	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one;
Other identifiers:	CAS: 68155-67-9, 54464-57-2, 68155-66-8; REACH REG: 01-2119489989-04-0008 1000000022 HAMBER

## 1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Ingredient for fragrances

Please refer to the Exposure Scenario.

## 1.3 Details of the supplier of the safety data sheet

Company name:	Eternis Fine Chemicals Ltd.	
Company address:	1004, Peninsula Towers, 10 th Floor, Peninsula Corporate Park, G.K. Marg, Lower Parel, Mumbai-400013, India	
Contact:	Salomi Samuel	
E-Mail address:	sales@eternis.com	
Company phone:	+91-22-66513400	
1 4 Emergencytelenhonenumber		

1.4 Emergency telephone number

Emergency phone: 011-352-323-3500 (Infotrac Contract No. - 102229)

# Section 2. Hazards identification

# 2.1 Classification of the substance or mixture

# Classification under Regulation (EC) No 1272/2008

Class and category of danger:	Skin Corrosion / Irritation Category 2 Sensitization - Skin Category 1B Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 H315, Causes skin irritation. H317, May cause an allergic skin reaction. H410, Very toxic to aquatic life with long lasting effects.
	Classification under Directive 67/548/EEC
Hazard symbols:	N, Dangerous for the environment. Xi, Irritant.
Risk phrases:	R38, Irritating to the skin. R43, May cause sensitisation by skin contact. R51/53, Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Eternis Fine Chemicals Ltd (Formerly Hindustan Polyamides & Fibres Limited); Tel : 91-22-66513400



In accordance with REACH Regulation EC No.1907/2006

1

Version:

2.2 Label elements	
	Classification under Regulation (EC) No 1272/2008
Signal word:	Warning
Hazard statements:	H315, Causes skin irritation.
	H317, May cause an allergic skin reaction.
	H410, Very toxic to aquatic life with long lasting effects.
M factor:	None
Supplemental Information:	None
Precautionary	P202, Do not handle until all safety precautions have been read and understood.
statements:	P273, Avoid release to the environment.
	P280, Wear protective gloves/eye protection/face protection.
	P332/313, If skin irritation occurs: Get medical advice/attention.
	P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.



Other hazards:

**Pictograms:** 

None

# Section 3. Composition / information on ingredients

3.1 Substances

Product identifier:	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-
	octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one;
	CAS: 68155-67-9, 54464-57-2, 68155-66-8; REACH REG: 01-2119489989-04-0008

# Section 4. First-aid measures

# 4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.		
Eyeexposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin exposure:	Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if		



In accordance with REACH Regulation EC No.1907/2006

Product: HAMBER 100000022

1

Version:

irritation persists.Ingestion:Rinse mouth with water and obtain medical attention.

## 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

# Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

## 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

# 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.



Jance with REACH Regulation EC No.1907/2006

Product: HAMBER 100000022

#### Version: 1 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

# 7.3 Specific end use(s):

Ingredient for flavours and fragrances: Use in accordance with good manufacturing and industrial hygiene practices. Please refer to the Exposure Scenario.

# Section 8. Exposure controls/personal protection

# 8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

# Eye / Skin Protection

Wear protective gloves/eye protection/face protection

# **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Please refer to the Exposure Scenario.

# Section 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Clear pale yellow liquid
Woody
Not determined
Not determined
-20 ℃
290.4 ℃
134 ℃
Not determined
Not determined
Product does not present an explosion hazard



1

Page 5 (8) Issue date: 19/05/2015 Version: 1 (19/05/2015)

# SAFETY DATA SHEET

Jance with REACH Regulation EC No.1907/2006

Product:

HAMBER 100000022

Version:

Vapour pressure: Vapour density:	0.233 Pa @ 23 ℃ Not determined
Relative density:	0.964 g/cm <sup>3</sup> @ 20°C
Solubility(ies):	Water Solubility 2.68 mg/I @ 20 ℃
Partition coefficient: n- octanol/water:	5.65 log POW
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	32.61 mPas @ 20 ℃
Explosive properties:	None
Oxidising properties:	Not determined
9.2 Other information:	None

### Section 10. Stability and reactivity

# 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

## 10.4 Conditions to avoid:

Avoid extreme heat.

# 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

# Section 11. Toxicological information

#### 11.1 Information on toxicological effects

Acute Toxicity:	Based on available data the classification criteria are not met	
Acute Toxicity Oral	LD50 (rat)	>5000 mg/kg
Acute Toxicity Dermal	LD50 (rat)	>5000 mg/kg
Acute Toxicity Inhalation	Not available	
Skin corrosion/irritation:	Skin Irritant - Category 2	
Skin irritation	In vitro	irritating
o · · · · · · · ·		

Serious eye damage/irritation: Based on available data the classification criteria are not met.

Eternis Fine Chemicals Ltd (Formerly Hindustan Polyamides & Fibres Limited); Tel : 91-22-66513400



Page 6 (8) Issue date: 19/05/2015 Version: 1 (19/05/2015)

SAFETY DATA SHEET

Jance with REACH Regulation EC No.1907/2006

Product:

HAMBER 100000022

1

Version:

Respiratory or skin sensitisation : Skin sensitisation	Skin Sensitiser - Category 1B Local Lymph Node Assay	sensitising
Germ cell mutagenicity: Mutagenicity	Based on available data the class Ames test	sification criteria are not met. negative
Carcinogenicity:	Based on available data the classification criteria are not me	
Reproductive toxicity:	Based on available data the class	sification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.	
STOT-repeated exposure:	Based on available data the class	sification criteria are not met.
Aspiration hazard:	Based on available data the class	sification criteria are not met.

Refer to Section 2 for additional information.

# Section 12. Ecological information

Aquatic toxicity:	Hazardous to the Aquatic Environmen Category 1 Hazardous to the Aquatic Environment - Category 1	
EC50 (48 hrs)	Daphnia magna	1.38 mg/L
EC50 (72 hrs)	Desmodesmus subspicatus	> 2.6 mg/L
LC50 (72 hrs)	Lepomis macrochirus	1.4 mg/L
LC50 (96 hrs)	Lepomis macrochirus	1.3 mg/L
NOEC (42 days)	Activated sludge domestic	> 100 mg/L

# 12.2 Persistence and degradability

**Biodegradation:** 

12.1 Toxicity

Not readily biodegradable

12.3 Bioaccumulative potential		
Partition coefficient n-octanol	Measured	5.6 - 5.7
/water (log Kow):		
Bioconcentration factor (BCF):	whole body weight	603 L/kg



Log Koc

Measured

4.12

12.5 Results of PBT and vPvB assessment Not applicable

12.6 Other adverse effects Not applicable

12.7 Additional information None available

# Section 13. Disposal considerations

# 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# Section 14. Transport information

14.1 UN number:	UN3082
14.2 UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)
14.3 Transport hazard class(es):	9
Sub Risk:	-
14.4. Packing Group:	III
14.5 Environmental hazards:	Environmentally hazardous for transport
14.6 Special precautions for user:	None additional
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC	
Code:	Not applicable
	Section 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

# 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out. Refer to the Annex for further information on Exposure Scenarios



1

# SAFETY DATA SHEET

Jance with REACH Regulation EC No.1907/2006

Product:

HAMBER 100000022

Version:

# Section 16. Other information

Key to revisions:

Not applicable

Key to abbreviations:

Not applicable

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.